

Appliances properties: Palazzetti Lelio S. p. A. - ECOFIRE POLLY

Nominal heat output [kW] 6						
Manufacturer Model ECOFIRE POLLY Nominal heat output [kW] 6 Continuous burning appliance Type test standard DIN EN 14785 Year of testing 2005 Test laboratory TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group Number of test laboratory 5 Number of test report K 111 2004 T1 Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa] Suitability for installation to a shared flue ¹⁾ Further important characteristics of the appliance Suitability for installation to a shared flue ¹⁾	Master data					
Manufacturer Model ECOFIRE POLLY Nominal heat output [kW] 6 Continuous burning appliance Type test standard DIN EN 14785 Year of testing 2005 Test laboratory TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group Number of test laboratory 5 Number of test report K 111 2004 T1 Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa] Suitability for installation to a shared flue ¹⁾ Further important characteristics of the appliance Suitability for installation to a shared flue ¹⁾	Date of entry	Mar 8. 2013				
Model ECOFIRE POLLY Nominal heat output [kW] 6 Continuous burning appliance						
Continuous burning appliance Type test standard DIN EN 14785 Year of testing 2005 TüV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group Number of test laboratory 5 Number of test report K 111 2004 T1 Flue gas values Pellets Flue gas mass flow [g/s] Flue gas mass flow [g/s] 148.4 Necessary flue draught [Pa] Further important characteristics of the appliance Suitability for installation to a shared flue 1)	Model					
Type test standard DIN EN 14785 Year of testing 2005 Test laboratory TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group Number of test laboratory 5 Number of test report K 111 2004 T1 Flue gas values Pellets Flue gas mass flow [g/s] 4.8 Flue gas mass flow [g/s] 146.4 Necessary flue draught [Pa] 12 Further important characteristics of the appliance	Nominal heat output [kW]	6				
Year of testing 2005 Test laboratory TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group Number of test laboratory 5 Number of test report K 111 2004 T1 Flue gas values Pellets Flue gas mass flow [g/s] 4.8 Flue gas mass flow [g/s] 146.4 Necessary flue draught [Pa] 12 Further important characteristics of the appliance	Continuous burning appliance					
TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group Number of test laboratory Number of test report K 111 2004 T1 Flue gas values Pellets Flue gas mass flow [g/s] 4.8 Flue gas mass flow [g/s] 146.4 Necessary flue draught [Pa] 12 Further important characteristics of the appliance Suitability for installation to a shared flue 1)	Type test standard					
Number of test laboratory Number of test report K 111 2004 T1 Flue gas values Pellets Flue gas mass flow [g/s] 4.8 Flue gas mass flow [g/s] 146.4 Necessary flue draught [Pa] 12 Further important characteristics of the appliance Suitability for installation to a shared flue 1)	Year of testing					
Number of test report K 111 2004 T1 Flue gas values Pellets Flue gas mass flow [g/s] 4.8 Flue gas mass flow [g/s] 146.4 Necessary flue draught [Pa] 12 Further important characteristics of the appliance Suitability for installation to a shared flue ¹⁾	Test laboratory	TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group				
Flue gas values Pellets Flue gas mass flow [g/s] 4.8 Flue gas mass flow [g/s] 146.4 Necessary flue draught [Pa] 12 Further important characteristics of the appliance Suitability for installation to a shared flue 1)	Number of test laboratory	5				
Flue gas mass flow [g/s] 4.8 Flue gas mass flow [g/s] 146.4 Necessary flue draught [Pa] 12 Further important characteristics of the appliance Suitability for installation to a shared flue 1)	Number of test report	K 111 2004 T1	11 2004 T1			
Flue gas mass flow [g/s] 4.8 Flue gas mass flow [g/s] 146.4 Necessary flue draught [Pa] 12 Further important characteristics of the appliance Suitability for installation to a shared flue 1)						
Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa] Further important characteristics of the appliance Suitability for installation to a shared flue ¹⁾	Flue gas values					
Flue gas mass flow [g/s] 146.4 Necessary flue draught [Pa] 12 Further important characteristics of the appliance Suitability for installation to a shared flue 1) ———————————————————————————————————			Pellets			
Necessary flue draught [Pa] Further important characteristics of the appliance Suitability for installation to a shared flue ¹⁾	Flue gas mass flow [g/s]		4.8			
Further important characteristics of the appliance Suitability for installation to a shared flue ¹⁾	Flue gas mass flow [g/s]		146.4			
Suitability for installation to a shared flue ¹⁾	Necessary flue draught [Pa]		12			
Suitability for installation to a shared flue ¹⁾						
	Further important characteristics of the	appliance				
Connectivity to the central heating system	Suitability for installation to a shared	flue ¹⁾	_			
	Connectivity to the central heating sys	stem	_			

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Pellets

Norm : Pellet stoves without boiler	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	✓
CH - Swiss clean air act	✓
F - Crédit d'impôt à la transition énergétique	7 ģ

Emission evaluation legend



Compliant with the requirements of the 2nd stage of the 1.BlmSchV (only for Germany)



Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)



Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)



Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label



Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label



Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label



Compliant with the requirements of the 1 star stage in Italy.



Compliant with the requirements of the 2 star stage in Italy.



Compliant with the requirements of the 3 star stage in Italy.



Compliant with the requirements of the 4 star stage in Italy.



Compliant with the requirements of the 5 star stage in Italy.



Fulfils the requirements



Complies with requirements of the transition ruling (1.BImSchV)



Requirements are not fulfilled



No information/unknown



No measuring values are available for this fuel, operation with this fuel is not permitted

No symbol means that there are no requirements.

Here you will find further information