

Appliances properties: Spartherm Feuerungstechnik GmbH - Arte 3RLh 80 (Bauart A ; ab 2010)

Date of entry Mar 6, 2012 Manufacturer Spartherm Feuerungstechnik GmbH Model Arte 3RLh 80 (Bauart A ; ab 2010) Nominal heat output [kW] 9 Continuous burning appliance Image: Spart Standard Type test standard DIN EN 13229 Year of testing 2010	Master data	
ManufacturerSpartherm Feuerungstechnik GmbHModelArte 3RLh 80 (Bauart A; ab 2010)Nominal heat output [kW]9Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13229		
Model Arte 3RLh 80 (Bauart A; ab 2010) Nominal heat output [kW] 9 Continuous burning appliance Image: Continuous burning appliance Type test standard DIN EN 13229	Date of entry	Mar 6, 2012
Nominal heat output [kW] 9 Continuous burning appliance Image: Continuous burning appliance Type test standard DIN EN 13229	Manufacturer	Spartherm Feuerungstechnik GmbH
Continuous burning appliance Image: Continuous burning appliance Type test standard DIN EN 13229	Model	Arte 3RLh 80 (Bauart A ; ab 2010)
Type test standard DIN EN 13229	Nominal heat output [kW]	9
	Continuous burning appliance	—
Year of testing 2010	Type test standard	DIN EN 13229
2010 2010	Year of testing	2010
Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
Number of test laboratory 2	Number of test laboratory	2
Number of test reportRRF - 29 10 2427	Number of test report	RRF - 29 10 2427

Flue gas values

	Wood
Flue gas mass flow [g/s]	7.3
Flue gas mass flow [g/s]	335
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	-
Connectivity to the central heating system	—
General technical approval for room sealed operation	—

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation
Stufe 2
2015
× .

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
6☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
\$	Compliant with the requirements of the 1 star stage in Italy.
*	Compliant with the requirements of the 2 star stage in Italy.
* 京京	Compliant with the requirements of the 3 star stage in Italy.
**	Compliant with the requirements of the 4 star stage in Italy.
****	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
_	No information/unknown
ľ	No measuring values are available for this fuel, operation with this fuel is not permitted
No svi	nbol means that there are no requirements.

Here you will find further information