

## Appliances properties: skantherm GmbH & Co. KG - samsø V (mehrfachbelegbar)

Date of entryMar 6, 2012ManufacturerSkanthern GmbH & Co. KGModelsamsø V (mehrfachbelegbar)Nominal heat output [kW]8Continuous burning applianceIn 18891Type test standardDIN 18891Year of testingDeutsche Kohle Marketing GmbHTest laboratoryDeutsche Kohle Marketing GmbHNumber of test report21Number of test report91 93 18	Master data		
Modelsamsø V (mehrfachbelegbar)Nominal heat output [kW]8Continuous burning applianceImage: Continuous burning applianceType test standardDIN 18891Year of testing1994Test laboratoryDeutsche Kohle Marketing GmbHNumber of test laboratory22	Date of entry	Mar 6, 2012	
Nominal heat output [kW]8Continuous burning applianceImage: Continuous burning applianceType test standardDIN 18891Year of testing1994Test laboratoryDeutsche Kohle Marketing GmbHNumber of test laboratory22	Manufacturer	skantherm GmbH & Co. KG	
Continuous burning applianceImage: Continuous burning applianceType test standardDIN 18891Year of testing1994Test laboratoryDeutsche Kohle Marketing GmbHNumber of test laboratory22	Model	samsø V (mehrfachbelegbar)	
Type test standardDIN 18891Year of testing1994Test laboratoryDeutsche Kohle Marketing GmbHNumber of test laboratory22	Nominal heat output [kW]	8	
Year of testing 1994   Test laboratory Deutsche Kohle Marketing GmbH   Number of test laboratory 22	Continuous burning appliance	_	
Test laboratory Deutsche Kohle Marketing GmbH   Number of test laboratory 22	Type test standard	DIN 18891	
Number of test laboratory 22	Year of testing	1994	
· · · · · · · · · · · · · · · · · · ·	Test laboratory	Deutsche Kohle Marketing GmbH	
Number of test report91 93 18	Number of test laboratory	22	
	Number of test report	91 93 18	

## Flue gas values

	Wood
Flue gas mass flow [g/s]	9
Flue gas mass flow [g/s]	358
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue <sup>1)</sup>	<b>~</b>
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood	
Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	According to the transitional rule §26 the appliance can be used until 31.12.2020
F - Crédit d'impôt à la transition énergétique	!

## Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2020

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
<b>6☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
\$	Compliant with the requirements of the 1 star stage in Italy.
<b>*</b>	Compliant with the requirements of the 2 star stage in Italy.
<b>*</b> 京京	Compliant with the requirements of the 3 star stage in Italy.
**	Compliant with the requirements of the 4 star stage in Italy.
****	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
$\checkmark$	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
_	No information/unknown
ľ	No measuring values are available for this fuel, operation with this fuel is not permitted
No svi	nbol means that there are no requirements.

Here you will find further information