

## Appliances properties: Spartherm Feuerungstechnik GmbH - Mini Z1 57 RLU

Master data Date of entry Nov 21, 2018 Spartherm Feuerungstechnik GmbH Manufacturer Model Mini Z1 57 RLU Nominal heat output [kW] Declared nominal space heating output [kW] Continuous burning appliance **DIN EN 13229** Type test standard Year of testing 2012 RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH **Test laboratory** Number of test laboratory Number of test report RRF - 29 03 510/RRF 29 12 3123

| Flue | gas | values |  |
|------|-----|--------|--|
|      |     |        |  |

|                             | Wood |
|-----------------------------|------|
| Flue gas mass flow [g/s]    | 7.5  |
| Flue gas mass flow [g/s]    | 330  |
| Necessary flue draught [Pa] | 12   |

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)

Connectivity to the central heating system

General technical approval for room sealed operation

## Number of approval for room sealed operation

1) For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

Z-43.12-316

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup>A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| orm : Inset appliances (with closed firedoor) | Evaluation |
|---|------------|
| - 1.BlmSchV                                   | Stufe 2    |
| Austrian regulation referred to Art 15a B-VG  | ✓          |
| Swiss clean air act                           | <b>*</b>   |
| Crédit d'impôt à la transition énergétique    | <b>✓</b>   |

| Evaluation of emission data and efficiency Lignite briquettes |            |  |
|---|------------|--|
| Norm : Inset appliances (with closed firedoor)                | Evaluation |  |
| D - 1.BlmSchV   |            |  |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown