



Appliances properties: Wodtke GmbH - Stage (K160A)

Master data

Date of entryNov 28, 2016ManufacturerWodtke GmbHModelStage (K160A)Nominal heat output [kW]6

Declared nominal space heating output [kW]

Continuous burning appliance

Type test standard DIN EN 13240

Year of testing 2016

Test laboratory RWE Power AG

Number of test laboratory 4

Number of test report FSPS-Wa 2337-EN

Flue gas values

| | Wood | Coal |
|-----------------------------|------|------|
| Flue gas mass flow [g/s] | 6.5 | 7.4 |
| Flue gas mass flow [g/s] | 303 | 281 |
| Necessary flue draught [Pa] | 12 | 12 |

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾



Connectivity to the central heating system



General technical approval for room sealed operation



On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.



This appliance is authorized to use the HKI quality label.

Evaluation of emission data and efficiency Wood

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
| - 1.BlmSchV | Stufe 2 |
| - Austrian regulation referred to Art 15a B-VG | ✓ |
| H - Swiss clean air act | ✓ |
| K - Danish regulation for air pollution from wood burners | ✓ |
| - Crédit d'impôt à la transition énergétique | 74 |

Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
| D - 1.BlmSchV | Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG | ✓ |
| CH - Swiss clean air act | * |
| DK - Danish regulation for air pollution from wood burners | * |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown