



## Appliances properties: Austroflamm GmbH - Wega Eck II

### Master data

Date of entry	Jan 9, 2012
Manufacturer	Austroflamm GmbH
Model	Wega Eck II
Nominal heat output [kW]	8
Declared nominal space heating output [kW]	8
Continuous burning appliance	<input checked="" type="checkbox"/>
Thermal output	28,800
Type test standard	DIN 18891
Year of testing	1991
Test laboratory	RWE Rheinbraun AG
Number of test laboratory	4.1
Number of test report	RBW-VF1 -Hn 12/91

### Flue gas values

	Wood
Flue gas mass flow [g/s]	10
Flue gas mass flow [g/s]	310
Necessary flue draught [Pa]	11

### Further important characteristics of the appliance

Suitability for installation to a shared flue <sup>1)</sup>	<input checked="" type="checkbox"/>
Connectivity to the central heating system	<input checked="" type="checkbox"/>
General technical approval for room sealed operation	<input checked="" type="checkbox"/>

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a „1“ indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a „2“ indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

### Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

#### Evaluation

D - 1.BImSchV

!.  
According to the transitional rule §26 the appliance can be used until 31.12.2020

F - Crédit d'impôt à la transition énergétique

!

## Evaluation of emission data and efficiency Lignite briquettes

### Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

#### Evaluation

D - 1.BImSchV

!.  
According to the transitional rule §26 the appliance can be used until 31.12.2020

-   
Stufe 2 Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
-   
Stufe 1 Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
-   
2015 Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
-   
7★ Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 7\* of the Flamme Verte Label
-   
6★ Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 6\* of the Flamme Verte Label
-   
5★ Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 5\* of the Flamme Verte Label
-   
★ Compliant with the requirements of the 1 star stage in Italy.
-   
★★ Compliant with the requirements of the 2 star stage in Italy.
-   
★★★ Compliant with the requirements of the 3 star stage in Italy.
-   
★★★★ Compliant with the requirements of the 4 star stage in Italy.
-   
★★★★★ Compliant with the requirements of the 5 star stage in Italy.
-  Fulfils the requirements
-  Complies with requirements of the transition ruling (1.BImSchV)
-  Requirements are not fulfilled
-  No information/unknown
-  No measuring values are available for this fuel, operation with this fuel is not permitted

No symbol means that there are no requirements.

Here you will find further information