

Appliances properties: Spartherm Feuerungstechnik GmbH - Arte IR-h (Bauart A ; ab 2000)

Master data	
ate of entry	Nov 26. 2011
ate of entry anufacturer	Spartherm Feuerungstechnik GmbH
lodel	Arte IR-h (Bauart A ; ab 2000)
ominal heat output [kW]	9
ontinuous burning appliance	—
ype test standard	DIN 18895
ear of testing	2000
est laboratory	DMT Feuerstätten Prüfstelle
umber of test laboratory	20
umber of test report	RO-95 00 78
ype test standard ear of testing est laboratory umber of test laboratory	DIN 18895 2000 DMT Feuerstätten Prüfstelle 20

Flue gas values

	Wood
Flue gas mass flow [g/s]	9.9
Flue gas mass flow [g/s]	300
Necessary flue draught [Pa]	14

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	-
Connectivity to the central heating system	-
General technical approval for room sealed operation	—

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood	
Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	Grandfathering
A - Austrian regulation referred to Art 15a B-VG	-
CH - Swiss clean air act	-
F - Crédit d'impôt à la transition énergétique	—

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
6☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
\$	Compliant with the requirements of the 1 star stage in Italy.
*	Compliant with the requirements of the 2 star stage in Italy.
* 京京	Compliant with the requirements of the 3 star stage in Italy.
**	Compliant with the requirements of the 4 star stage in Italy.
****	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
_	No information/unknown
ľ	No measuring values are available for this fuel, operation with this fuel is not permitted
No svi	nbol means that there are no requirements.

Here you will find further information