

Appliances properties: LEDA Werk GmbH & Co. KG - BRILLANT H2 W E

Master data

Date of entry Mar 26, 2012

Manufacturer LEDA Werk GmbH & Co. KG

Model BRILLANT H2 W E

Nominal heat output [kW]

Continuous burning appliance

Type test standard DIN EN 13229

Year of testing 2012

Test laboratory RWE Rheinbraun AG

Number of test laboratory

Number of test report FSPS-Wa 2096



Flue gas values

	Wood
Flue gas mass flow [g/s]	17
Flue gas mass flow [g/s]	225
Necessary flue draught [Pa]	13

15


4.1


Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

been submitted to the HKI Industrieverband e.V.





^{*}A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

rm : Inset appliance with flat-layer firing	Evaluation
1.BlmSchV	Stufe 2
ustrian regulation referred to Art 15a B-VG	✓
Swiss clean air act	✓
Crédit d'impôt à la transition énergétique	•

Evaluation of emission data and efficiency Lignite briquettes		
Norm : Inset appliance with flat-layer firing	Evaluation	
D - 1.BlmSchV		



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown