

## Appliances properties: Spartherm Feuerungstechnik GmbH - Stella (mehrfachbelegbar)

| Master data   |                                 |          |
|---|---------------------------------|----------|
| Date of entry   | Nov 26, 2011                    |          |
| Manufacturer  | Spartherm Feuerungstechnik GmbH |          |
| Model   | Stella (mehrfachbelegbar)       |          |
| Nominal heat output [kW]                                    | 6                               |          |
| Continuous burning appliance                                | _                               |          |
| Type test standard  | DIN 18891                       |          |
| Year of testing   | 2001                            |          |
| Test laboratory   | DMT Feuerstätten Prüfstelle     |          |
| Number of test laboratory                                   | 20                              |          |
| Number of test report                                       | RO-91 01 06                     |          |
| Flue gas values   |                                 |          |
|   |                                 | Wood     |
| Flue gas mass flow [g/s]                                    |                                 | 5.4      |
| Flue gas mass flow [g/s]                                    |                                 | 270      |
| Necessary flue draught [Pa]                                 |                                 | 14       |
| Further important characteristics of the appliance          |                                 |          |
| Suitability for installation to a shared flue <sup>1)</sup> |                                 | <b>*</b> |
| •   |                                 |          |
| Connectivity to the central heating system                  |                                 | _        |

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation     |
|---|----------------|
| D - 1.BlmSchV   | Grandfathering |
| A - Austrian regulation referred to Art 15a B-VG                            | _              |
| CH - Swiss clean air act  | _              |
| DK - Danish regulation for air pollution from wood burners                  | -              |
| F - Crédit d'impôt à la transition énergétique                              | _              |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation  |
|---|---|
| ) - 1.BlmSchV   | According to the transitional rule §26 the appliance can be used until 31.12.2024 |
| DK - Danish regulation for air pollution from wood burners                  | ļ.  |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown