

Appliances properties: Spartherm Feuerungstechnik GmbH - Varia 1V 57 X 17,5kW (Bauart A; 07.2013-07.2018)

Date of entry Manufacturer Model Nominal heat output [kW] Continuous burning appliance	Jul 26, 2018 Spartherm Feuerungstechnik GmbH Varia 1V 57 X 17,5kW (Bauart A; 07.2013-07.2018) 17.5		
Manufacturer Model Nominal heat output [kW]	Spartherm Feuerungstechnik GmbH Varia 1V 57 X 17,5kW (Bauart A; 07.2013-07.2018)		
Model Nominal heat output [kW]	Varia 1V 57 X 17,5kW (Bauart A ; 07.2013-07.2018)		
Nominal heat output [kW]			
	17.5		
Continuous burning appliance			
	_		
Type test standard	DIN EN 13229		
Year of testing	2013		
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH 2		
Number of test laboratory			
Number of test report	RRF - 29 13 3260		
Flue gas values			
	Wood		
Flue gas mass flow [g/s]	13.37		
Flue gas mass flow [g/s]	333		
Necessary flue draught [Pa]	12		
Further important characteristics of the appliance			
Suitability for installation to a shared flue ¹⁾		_	

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	✓
- Crédit d'impôt à la transition énergétique	<u>*</u>

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	1



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown