

## Appliances properties: Spartherm Feuerungstechnik GmbH - Speedy 1Vh 51 N 10,0kW - A1

| Master data   |  |      |  |
|---|--|------|--|
|   |  |      |  |
| Date of entry   | Oct 17, 2013   |      |  |
| Manufacturer  | Spartherm Feuerungstechnik GmbH<br>Speedy 1Vh 51 N 10,0kW - A1 |      |  |
| Model   |  |      |  |
| Nominal heat output [kW] 10                                 |  |      |  |
| Continuous burning appliance                                | _  |      |  |
| Type test standard  | DIN EN 13229   |      |  |
| Year of testing   | 2013   |      |  |
| Test laboratory   | RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH                     |      |  |
| Number of test laboratory                                   | 2  |      |  |
| Number of test report                                       | RRF - 29 13 3298   |      |  |
| Flue gas values   |  |      |  |
|   |  | Wood |  |
| Flue gas mass flow [g/s]                                    |  | 9.32 |  |
| Flue gas mass flow [g/s]                                    |  | 163  |  |
| Necessary flue draught [Pa]                                 |  | 12   |  |
|   |  |      |  |
| Further important characteristics of the appliance          |  |      |  |
| Suitability for installation to a shared flue <sup>1)</sup> |  | ✓    |  |

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| Norm : Inset appliances (with closed firedoor)   | Evaluation |
|--|------------|
| D - 1.BImSchV                                    | Stufe 2    |
| A - Austrian regulation referred to Art 15a B-VG | 2015       |
| CH - Swiss clean air act                         | ✓          |
| - Crédit d'impôt à la transition énergétique     | <u>*</u>   |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm : Inset appliances (with closed firedoor) | Evaluation |
|--|------------|
| D - 1.BlmSchV                                  | 1          |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown