

Appliances properties: HAAS+SOHN OFENTECHNIK GmbH - Pyrus 294.15 - 0429415000000

| Date of entryFeb 27, 2015ManufacturerHAAS+SOHN OFENTECHNIK GmbHModelPyrus 294.15Product code042941500000Nominal heat output [kW]6.4Declared nominal space heating output [kW]6Partial load [kW]3Continuous burning applianceInn En 13240Yaer of testingQ13Year of test laboratory2Number of test laboratory2 | Master data | | |
|--|--|--|---------------------|
| ModelPyrus 294.15Product code0429415000000Nominal heat output [kW]6.4Declared nominal space heating output [kW]6Partial load [kW]3Continuous burning applianceType test standardDIN EN 13240Year of testing2013Test laboratoryREF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2 | Date of entry | Feb 27, 2015 | |
| Product code0429415000000Nominal heat output [kW]6.4Declared nominal space heating output [kW]6Partial load [kW]3Continuous burning appliance—Type test standardDIN EN 13240Year of testing2013Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2 | Manufacturer | HAAS+SOHN OFENTECHNIK GmbH | |
| Nominal heat output [kW]6.4Declared nominal space heating output [kW]6Partial load [kW]3Continuous burning applianceType test standardDIN EN 13240Year of testing2013Test laboratoryREF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2 | Model | Pyrus 294.15 | An and a start of a |
| Declared nominal space heating output [kW]6Partial load [kW]3Continuous burning applianceType test standardDIN EN 13240Year of testing2013Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2 | Product code | 0429415000000 | |
| Partial load [kW]3Continuous burning appliance—Type test standardDIN EN 13240Year of testing2013Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2 | Nominal heat output [kW] | 6.4 | 1000 |
| Continuous burning appliance—Type test standardDIN EN 13240Year of testing2013Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2 | Declared nominal space heating output [kW] | 6 | n ISSN 100 |
| Type test standardDIN EN 13240Year of testing2013Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2 | Partial load [kW] | 3 | |
| Year of testing 2013 Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2 | Continuous burning appliance | - | - |
| Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2 | Type test standard | DIN EN 13240 | See . |
| Number of test laboratory 2 | Year of testing | 2013 | A Se |
| | Test laboratory | RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH | |
| Number of test report | Number of test laboratory | 2 | |
| | Number of test report | RRF - 40 13 3244 | |

Flue gas values

| Wood |
|------|
| 5.4 |
| 300 |
| 12 |
| |

| Further important characteristics of the appliance | |
|---|---|
| Suitability for installation to a shared flue ¹⁾ | |
| Connectivity to the central heating system | - |
| General technical approval for room sealed operation | _ |

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
| D - 1.BImSchV | Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG | × |
| CH - Swiss clean air act | × . |
| K - Danish regulation for air pollution from wood burners | × |
| - Crédit d'impôt à la transition énergétique | |

Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
| D - 1.BImSchV | • |
| DK - Danish regulation for air pollution from wood burners | |

| Stufe 2 | Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany) |
|--------------|---|
| Stufe 1 | Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany) |
| 2015 | Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria) |
| 7☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label |
| 6☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label |
| 5☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label |
| \$ | Compliant with the requirements of the 1 star stage in Italy. |
| * | Compliant with the requirements of the 2 star stage in Italy. |
| * 京京 | Compliant with the requirements of the 3 star stage in Italy. |
| ** | Compliant with the requirements of the 4 star stage in Italy. |
| **** | Compliant with the requirements of the 5 star stage in Italy. |
| | Fulfils the requirements |
| \checkmark | Complies with requirements of the transition ruling (1.BImSchV) |
| - | Requirements are not fulfilled |
| _ | No information/unknown |
| ľ | No measuring values are available for this fuel, operation with this fuel is not permitted |
| No svi | nbol means that there are no requirements. |
| | |

Here you will find further information