

## Appliances properties: Dovre N.V. - 425CB

Date of entryDec 27, 2011ManufacturerDovre N.V.Model425CBNominal heat output [kW]8Declared nominal space heating output [kW]8Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13240Year of testing2008	
Model425CBNominal heat output [kW]8Declared nominal space heating output [kW]8Continuous burning appliance	
Nominal heat output [kW]8Declared nominal space heating output [kW]8Continuous burning appliance—Type test standardDIN EN 13240	
Declared nominal space heating output [kW] 8   Continuous burning appliance —   Type test standard DIN EN 13240	
Continuous burning appliance Image: Continuous burning appliance   Type test standard DIN EN 13240	
Type test standard DIN EN 13240	
Year of testing 2008	
Test laboratoryLABORATORY K.V.B.G A.R.G.B.	
Number of test laboratory 17	
Number of test report H0031	

Flue gas values

	Wood
Flue gas mass flow [g/s]	5.6
Flue gas mass flow [g/s]	415
Necessary flue draught [Pa]	13

Further important characteristics of the appliance

Suitability for installation to a shared flue <sup>1)</sup>	-
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

orm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
- 1.BImSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	×
H - Swiss clean air act	×
- Crédit d'impôt à la transition énergétique	7☆

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
<b>7☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
<b>6☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
\$	Compliant with the requirements of the 1 star stage in Italy.
<b>*</b>	Compliant with the requirements of the 2 star stage in Italy.
<b>*</b> 京京	Compliant with the requirements of the 3 star stage in Italy.
**	Compliant with the requirements of the 4 star stage in Italy.
****	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
$\checkmark$	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
_	No information/unknown
ľ	No measuring values are available for this fuel, operation with this fuel is not permitted
No svi	nbol means that there are no requirements.

Here you will find further information