

## Appliances properties: Spartherm Feuerungstechnik GmbH - Piko M mit Holzfach (ab 07.2014)

Master data Date of entry Feb 18, 2015 Manufacturer Spartherm Feuerungstechnik GmbH Model Piko M mit Holzfach (ab 07.2014) Nominal heat output [kW] 5.9 Declared nominal space heating output [kW] Continuous burning appliance **DIN EN 13240** Type test standard Year of testing 2014 RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH **Test laboratory** Number of test laboratory Number of test report RRF - 40 14 3646

Flue	aas	values	

	Wood
Flue gas mass flow [g/s]	4.9
Flue gas mass flow [g/s]	325
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system



## General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup>A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
- 1.BlmSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	2015
H - Swiss clean air act	✓
- Crédit d'impôt à la transition énergétique	<b>*</b>

## Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Ţ



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown