

Appliances properties: HOXTER a.s. - HAKA 67/38 (11 kW)

Master data Date of entry Oct 26, 2021 HOXTER a.s. Manufacturer Model HAKA 67/38 (11 kW) Nominal heat output [kW] 11 Continuous burning appliance Type test standard **DIN EN 13229** 2018 Year of testing **Test laboratory** Strojirensky Zkusebni Ustav s.p. Number of test laboratory Number of test report 30-13758-T-4 Flue gas values Wood Flue gas mass flow [g/s] 8.6 Flue gas mass flow [g/s] 191 Necessary flue draught [Pa] 11

General technical approval for room sealed operation

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾



On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

Connectivity to the central heating system

^{*}A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	√ 7 ☆

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	!
DK - Danish regulation for air pollution from wood burners	I



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown