

## Appliances properties: Buderus, Bosch Thermotechnik GmbH - Logastyle Figura

| Master data                                                 |                                            |           |
|-------------------------------------------------------------|--------------------------------------------|-----------|
| Date of entry                                               | Jul 8, 2016                                |           |
| Manufacturer                                                | Buderus, Bosch Thermotechnik GmbH          |           |
| Model                                                       | Logastyle Figura                           |           |
| Nominal heat output [kW]                                    | 5.9                                        |           |
| Continuous burning appliance                                | _                                          |           |
| Type test standard                                          | DIN EN 13240                               |           |
| Year of testing                                             | 2016                                       |           |
| Test laboratory                                             | RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH |           |
| Number of test laboratory                                   | 2                                          |           |
| Number of test report                                       | RRF - 40 16 4268                           |           |
| Flue gas values                                             |                                            | Wood      |
| Flue gas mass flow [g/s]                                    |                                            | 5.1       |
| Flue gas mass flow [g/s]                                    |                                            | 330<br>12 |
| Necessary flue draught [Pa]                                 |                                            | 12        |
| Further important characteristics of the appliance          |                                            |           |
| Suitability for installation to a shared flue <sup>1)</sup> |                                            | _         |
| Connectivity to the central heating system                  |                                            | _         |
| General technical approval for room sealed operation        |                                            | _         |

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation                 |  |
|-----------------------------------------------------------------------------|----------------------------|--|
| D - 1.BlmSchV                                                               | Stufe 2                    |  |
| A - Austrian regulation referred to Art 15a B-VG                            | 2015                       |  |
| CH - Swiss clean air act                                                    | ✓                          |  |
| DK - Danish regulation for air pollution from wood burners                  | ✓                          |  |
| F - Crédit d'impôt à la transition énergétique                              | <b>✓</b><br>7 <del>¢</del> |  |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|-----------------------------------------------------------------------------|------------|
| D - 1.BlmSchV                                                               | !          |
| DK - Danish regulation for air pollution from wood burners                  | I          |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown