

## Appliances properties: LEDA Werk GmbH & Co. KG - DIAMANT H9 (Ø180)

i entry Mar 11, 2008 Acturer LEDA Werk GmbH & Co. KG DIAMANT H9 (Ø180) al heat output [kW] 9 uous burning appliance DIN EN 13229	
acturer       LEDA Werk GmbH & Co. KG         DIAMANT H9 (Ø180)       DIAMANT H9 (Ø180)         al heat output [kW]       9         uous burning appliance       —	
al heat output [kW] 9 uous burning appliance	
uous burning appliance	
st standard DIN EN 13220	
St Standard Div Elv 15225	
testing 2001	
boratory RWE Rheinbraun AG	
er of test laboratory 4.1	
r of test report RB BF1-Hn 998	

## Flue gas values

	Wood
Flue gas mass flow [g/s]	8
Flue gas mass flow [g/s]	195
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue <sup>1)</sup>	_
Connectivity to the central heating system	-
General technical approval for room sealed operation	—

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood	
lorm : Inset appliance with flat-layer firing	Evaluation
0 - 1.BImSchV	Stufe 1 Grandfathering
- Austrian regulation referred to Art 15a B-VG	
H - Swiss clean air act	<ul><li>✓</li></ul>
- Crédit d'impôt à la transition énergétique	<b>↓</b> 5★

## Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliance with flat-layer firing	Evaluation
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024
CH - Swiss clean air act	

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
<b>7☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
<b>6☆</b>	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
\$	Compliant with the requirements of the 1 star stage in Italy.
<b>*</b>	Compliant with the requirements of the 2 star stage in Italy.
<b>*</b> 京京	Compliant with the requirements of the 3 star stage in Italy.
**	Compliant with the requirements of the 4 star stage in Italy.
****	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
$\checkmark$	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
_	No information/unknown
ľ	No measuring values are available for this fuel, operation with this fuel is not permitted
No svi	nbol means that there are no requirements.

Here you will find further information