

Appliances properties: Willach KG - Jupiter IV S

Master data			
Date of entry	Oct 14, 2014		
Manufacturer	Willach KG		
Model	Jupiter IV S		
	·		
Continuous burning appliance	_		
Thermal output	228526 kJ		
Type test standard	DIN EN 15250		
Year of testing	2011		
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH		
Number of test laboratory	2		
Number of test report	RRF - 50 11 2649, Bauartzulassung Z-43.12-150		
Flue gas values			
		Wood	
Flue gas mass flow [g/s]		14.9	
Necessary flue draught [Pa]		12	
Further important characteristics of the appliance			
Suitability for installation to a shared flue ¹⁾		✓	
Connectivity to the central heating system		-	

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm : Slow heat release appliances	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	✓
CH - Swiss clean air act	✓
F - Crédit d'impôt à la transition énergétique	4

Evaluation of emission data and efficiency Lignite briquettes

Norm : Slow heat release appliances	Evaluation
D - 1.BlmSchV	ļ



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown