

Appliances properties: Wamsler Haus- und Küchentechnik GmbH - KF108-MARS SPECKST. 6,5kW (bis 2015) - W20001085140

Manufacturer Model		
Manufacturer Wamsler Haus- und Küchentechnik GmbH KF108-MARS SPECKST. 6,5kW (bis 2015) Product code Nominal heat output [kW] 6.5 Continuous burning appliance Type test standard DIN EN 13240 Year of testing 2009 Test laboratory RWE Rheinbraun AG Number of test laboratory Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] Flue gas mass flow [g/s] W20001085140 M20001085140 M2	ta	
Manufacturer Wamsler Haus- und Küchentechnik GmbH KF108-MARS SPECKST. 6,5kW (bis 2015) Product code Nominal heat output [kW] 6.5 Continuous burning appliance Type test standard Year of testing 2009 Test laboratory RWE Rheinbraun AG Number of test laboratory Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] Flue gas mass flow [g/s] M20001085140 M	try	
Product code W20001085140 Nominal heat output [kW] 6.5 Continuous burning appliance		
Nominal heat output [kW] Continuous burning appliance Type test standard DIN EN 13240 Year of testing 2009 Test laboratory RWE Rheinbraun AG Number of test laboratory 4.1 FSPS-Wa 1807-EN Flue gas values Wood Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s] 2009 RWE Rheinbraun AG 4.1 FSPS-Wa 1807-EN		
Continuous burning appliance Type test standard DIN EN 13240 Year of testing 2009 Test laboratory RWE Rheinbraun AG 4.1 FSPS-Wa 1807-EN Wood Flue gas walues Wood Flue gas mass flow [g/s] Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s]	ode	
Type test standard DIN EN 13240 Year of testing 2009 Test laboratory RWE Rheinbraun AG Number of test laboratory 4.1 Number of test report FSPS-Wa 1807-EN Flue gas values Wood Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s] 290	eat output [kW]	
Year of testing Test laboratory RWE Rheinbraun AG Number of test laboratory A.1 Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s] 2009 RWE Rheinbraun AG A.1 FSPS-Wa 1807-EN Wood Wood Flue gas mass flow [g/s] 7 290	s burning appliance	
RWE Rheinbraun AG Number of test laboratory 4.1 Number of test report Flue gas values Wood Flue gas mass flow [g/s]	standard	
Number of test laboratory Number of test report Filue gas values Wood Flue gas mass flow [g/s] Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s]	sting	
Flue gas mass flow [g/s]	atory	
Flue gas values Wood Flue gas mass flow [g/s] Flue gas mass flow [g/s] 290	test laboratory	
Wood Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s] 290	i test report	
Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s] 290	/alues	Wood
	nass flow [g/s]	
Necessary flue draught [Pa] 12	nass flow [g/s]	290
	rflue draught [Pa]	12
Further important characteristics of the appliance	portant characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	for installation to a shared flue ¹⁾	*
Connectivity to the central heating system	ity to the central heating system	_
General technical approval for room sealed operation	chnical approval for room sealed operation	_

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	✓
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	√ 7 ☆

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
O - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	_
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown