

Appliances properties: Wodtke GmbH - Vista HK 06 (Betrieb mit offener Feuerraumtür)

Master data		
Dete of entry	lar 44,0000	
Date of entry	Jan 14, 2009	
Manufacturer	Wodtke GmbH	
Model	Vista HK 06 (Betrieb mit offener Feuerraumtür)	
Nominal heat output [kW]	6	-
Continuous burning appliance	_	
Type test standard	DIN 18895	
Year of testing	1998	
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	L Prov
Number of test laboratory	2	
Number of test report	RO-95 98 65	

Flue gas values		 	

	Wood	
Flue gas mass flow [g/s]	29	
Flue gas mass flow [g/s]	191	
Necessary flue draught [Pa]	10	

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	-
Connectivity to the central heating system	-
General technical approval for room sealed operation	_

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood	
Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024
F - Crédit d'impôt à la transition énergétique	—
Evaluation of emission data and efficiency Lignite briquettes	

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	

D - 1.BImSchV

According to the transitional rule §26 the appliance can be used until 31.12.2024

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
6☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
\$	Compliant with the requirements of the 1 star stage in Italy.
*	Compliant with the requirements of the 2 star stage in Italy.
* 京京	Compliant with the requirements of the 3 star stage in Italy.
**	Compliant with the requirements of the 4 star stage in Italy.
****	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
_	No information/unknown
ľ	No measuring values are available for this fuel, operation with this fuel is not permitted
No svi	nbol means that there are no requirements.

Here you will find further information