



Appliances properties: TIBA AG - T-SKY eco2

Master data

Date of entryMar 9, 2017ManufacturerTIBA AG

Model T-SKY eco2

Nominal heat output [kW]

Continuous burning appliance

Thermal output

81057 kJ

Type test standard DIN EN 15250

Year of testing 2013

Number of test report MP-13139



Flue gas values

	Wood	
Flue gas mass flow [g/s]	8	
Flue gas mass flow [g/s]	266	
Necessary flue draught [Pa]	12	

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system



Z-43.12-383

General technical approval for room sealed operation

Number of approval for room sealed operation

1) For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.



This appliance is authorized to use the HKI quality label.

Evaluation of emission data and efficiency Wood		
lorm : Slow heat release appliances	Evaluation	
D - 1.BlmSchV	Stufe 2	
- Austrian regulation referred to Art 15a B-VG	✓	
CH - Swiss clean air act	✓	
- Crédit d'impôt à la transition énergétique	✓ 7 \$	

Evaluation of emission data and efficiency Lignite briquettes	
Norm : Slow heat release appliances	Evaluation
D - 1.BImSchV	ļ



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown