

Appliances properties: Dovre N.V. - 425CBN

Master data			
Date of entry	Dec 27, 2011		
Manufacturer	Dovre N.V.		
Model	425CBN 8 8		
Nominal heat output [kW]			
Declared nominal space heating output [kW]			
Continuous burning appliance	_		
Type test standard	DIN EN 13240		
Year of testing	2008	2008 LABORATORY K.V.B.G A.R.G.B.	
Test laboratory	LABORATORY K.V.B.G A.R.G.B.		
Number of test laboratory	17		
Number of test report	H0031		
Flue gas values			
		Wood	
Flue gas mass flow [g/s]		281	
Necessary flue draught [Pa]		11.7	
Further important characteristics of the appliance			
Suitability for installation to a shared flue ¹⁾			


Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information