

## Appliances properties: Austroflamm GmbH - 65x51 K aquaHEAT - 362001

#### Master data

Date of entry Jan 3, 2012 Manufacturer Austroflamm GmbH Model 65x51 K aquaHEAT 362001 **Product code** 12 Nominal heat output [kW] Declared nominal space heating output [kW] 2 Nominal water heating output [kW] 9.2 Partial load [kW] 5.8 Part load space heating output [kW] 5.8 Water operating pressure [bar] 3 Continuous burning appliance Thermal output 43,200 Type test standard **DIN EN 13229** 2010 Year of testing **Test laboratory** RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2

Flue gas values

Number of test report

	Wood	
Flue gas mass flow [g/s]	12.2	
Flue gas mass flow [g/s]	265	
Necessary flue draught [Pa]	12	

RRF - 29 10 2286

## Further important characteristics of the appliance

## Suitability for installation to a shared flue<sup>1)</sup>

## **/**

## Connectivity to the central heating system

# **/**

## General technical approval for room sealed operation

## Number of approval for room sealed operation

Z-43.11-275

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

## Evaluation of emission data and efficiency Wood

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	✓
1 - Swiss clean air act	✓
- Crédit d'impôt à la transition énergétique	7\$

## Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown