

## Appliances properties: Austroflamm GmbH - KE 63x40x51 S 2.0 R

Master data

Date of entry Feb 2, 2021

Manufacturer Austroflamm GmbH

Model KE 63x40x51 S 2.0 R

Nominal heat output [kW] 12

Declared nominal space heating output [kW] 12

Continuous burning appliance

Type test standard DIN EN 13229

Year of testing 2020

**Test laboratory** Strojirensky Zkusebni Ustav s.p.

Number of test laboratory

Number of test report 30-14842/T

Flue gas values

|                             | Wood |  |
|-----------------------------|------|--|
| Flue gas mass flow [g/s]    | 12   |  |
| Flue gas mass flow [g/s]    | 283  |  |
| Necessary flue draught [Pa] | 10   |  |

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)

Connectivity to the central heating system

## General technical approval for room sealed operation



On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\*A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| Norm : Inset appliances (with closed firedoor)             | Evaluation             |
|--|------------------------|
| D - 1.BlmSchV  | Stufe 2                |
| A - Austrian regulation referred to Art 15a B-VG           | 2015                   |
| CH - Swiss clean air act                                   | ✓                      |
| DK - Danish regulation for air pollution from wood burners | ✓                      |
| F - Crédit d'impôt à la transition énergétique             | <b>√</b><br>7 <b>☆</b> |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm : Inset appliances (with closed firedoor)             | Evaluation |
|--|------------|
| D - 1.BImSchV  |            |
| DK - Danish regulation for air pollution from wood burners | I          |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown