

## Appliances properties: Max Blank GmbH - Balance BF

Master data

Nominal heat output [kW]

Date of entryMay 21, 2010ManufacturerMax Blank GmbHModelBalance BF

Declared nominal space heating output [kW] 7

Continuous burning appliance

Type test standard DIN EN 13240

Year of testing 2008

Test laboratory Versuchs- und Forschungsanstalt der Hafner Österreichs

Number of test laboratory 8

Number of test report VFH-08-004-P



Flue gas values

|                             | Wood |  |
|-----------------------------|------|--|
| Flue gas mass flow [g/s]    | 14   |  |
| Flue gas mass flow [g/s]    | 198  |  |
| Necessary flue draught [Pa] | 11   |  |

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system

## General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup>A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation                |
|---|---------------------------|
| D - 1.BlmSchV   | Stufe 1<br>Grandfathering |
| A - Austrian regulation referred to Art 15a B-VG                            | ✓                         |
| CH - Swiss clean air act  | ✓                         |
| DK - Danish regulation for air pollution from wood burners                  | _                         |
| F - Crédit d'impôt à la transition énergétique                              | 6\$                       |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer<br>firing | Evaluation  |
|--|---|
| D - 1.BImSchV  | !   |
|  | According to the transitional rule §26 the appliance can be used until 31.12.2024 |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown