

## Appliances properties: Rizzoli GmbH - S 90

Master data		
Date of entry	Feb 2, 2021	
Manufacturer	Rizzoli GmbH	
Model	S 90	
Nominal heat output [kW]	10.2	
Continuous burning appliance	_	
Type test standard	DIN EN 12815	
Year of testing	2014	
Test laboratory	ACTECO SRL	
Number of test laboratory	33	
Number of test report	1880-CPR-029-002-14	
Flue gas values		Wood
Flue gas mass flow [g/s]		12.5
Flue gas mass flow [g/s]		168
Necessary flue draught [Pa]		10.6
Further important characteristics of the appliance		
Suitability for installation to a shared flue <sup>1)</sup>		_
Connectivity to the central heating system		<b>*</b>

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Norm : Cookers D - 1.BImSchV A - Austrian regulation referred to Art. 15a B-VG CH - Swiss clean air act

ſ					
Evaluation of	of omiccion	data ar	ad officionav l	ignito briguetto	

Evaluation of emission data and efficiency Wood

F - Crédit d'impôt à la transition énergétique

Norm : Cookers	Evaluation
D - 1.BImSchV	!

## Evaluation of emission data and efficiency Pellets

Norm : Cookers	Evaluation
D - 1.BlmSchV	ļ.



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown