

Master data

Appliances properties: Hark GmbH & Co. KG - Radiante 550 L (6 kW)

Date of entry	Feb 27, 2015

ManufacturerHark GmbH & Co. KGModelRadiante 550 L (6 kW)

Nominal heat output [kW] 6

Continuous burning appliance

Type test standard DIN EN 13229

Year of testing 2014

Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH

Number of test laboratory 2

Number of test report DIN EN 29 09 1911-1

Flue gas values

	Wood	
Flue gas mass flow [g/s]	6.5	
Flue gas mass flow [g/s]	320	
Necessary flue draught [Pa]	12	

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾



Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

m : Inset appliances (with closed firedoor)	Evaluation
1.BlmSchV	✓
	Grandfathering
strian regulation referred to Art 15a B-VG	_
Swiss clean air act	_

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	1



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown