

## Appliances properties: Wamsler Haus- und Küchentechnik GmbH - TYP10850-ZÜRICH WNS 6,5KW VE1 (bis 2013) - W20001085036

| Master data   |  |  |
|---|--|--|
| Date of entry Jul 18, 2012                                  |  |  |
| Manufacturer Wamsler Haus- und Küchentechnik GmbH           |  |  |
| Model TYP10850-ZÜRICH WNS 6,5KW VE1 (bis 2013)              | TYP10850-ZÜRICH WNS 6,5KW VE1 (bis 2013)<br>W20001085036 |  |
| Product code W20001085036                                   |  |  |
| Nominal heat output [kW] 6.5                                |  |  |
| Continuous burning appliance                                |  |  |
| Type test standard DIN EN 13240                             |  |  |
| Year of testing 2009  |  |  |
| Test laboratory RWE Rheinbraun AG                           |  |  |
| Number of test laboratory 4.1                               |  |  |
| Number of test report FSPS-Wa 1807-EN                       |  |  |
| Flue gas values   |  |  |
|   | Wood   |  |
| Flue gas mass flow [g/s]                                    | 7  |  |
| Flue gas mass flow [g/s]                                    | 290  |  |
| Necessary flue draught [Pa]                                 | 12   |  |
|   |  |  |
| Further important characteristics of the appliance          |  |  |
| Suitability for installation to a shared flue <sup>1)</sup> | •  |  |
| Connectivity to the central heating system                  | _  |  |
|   |  |  |

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation             |
|---|------------------------|
| D - 1.BlmSchV   | Stufe 2                |
| A - Austrian regulation referred to Art 15a B-VG                            | _                      |
| CH - Swiss clean air act  | ✓                      |
| DK - Danish regulation for air pollution from wood burners                  | _                      |
| F - Crédit d'impôt à la transition énergétique                              | <b>✓</b><br>7 <b>★</b> |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
| ) - 1.BlmSchV   | Stufe 2    |
| A - Austrian regulation referred to Art 15a B-VG                            | _          |
| CH - Swiss clean air act  | ✓          |
| DK - Danish regulation for air pollution from wood burners                  | <b>✓</b>   |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown