

Master data

## Appliances properties: Supra S.A. - Univers 200 A D PN - Marke Supra

| Date of entry                | Feb 26, 2008       |  |  |  |
|------------------------------|--------------------|--|--|--|
| Manufacturer                 | Supra S.A.         |  |  |  |
| Model                        | Univers 200 A D PN |  |  |  |
| Product code                 | Marke Supra        |  |  |  |
| Nominal heat output [kW]     | 10                 |  |  |  |
| Continuous burning appliance | _                  |  |  |  |
| Type test standard           | DIN 18895          |  |  |  |
| Year of testing              | 2005               |  |  |  |

Year of testing 2005

**Test laboratory** RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH

Number of test laboratory 2

Number of test report RRF-95-05-772

Flue gas values

|                             | Wood |  |
|-----------------------------|------|--|
| Flue gas mass flow [g/s]    | 10   |  |
| Flue gas mass flow [g/s]    | 320  |  |
| Necessary flue draught [Pa] | 14   |  |

Further important characteristics of the appliance

Suitability for installation to a shared flue<sup>1)</sup>



Connectivity to the central heating system



## General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup>A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Norm : Inset appliances (with closed firedoor) Evaluation D - 1.BImSchV Stufe 2 A - Austrian regulation referred to Art 15a B-VG ↓ CH - Swiss clean air act ✓ F - Crédit d'impôt à la transition énergétique ✓

Evaluation of emission data and efficiency Wood

| Evaluation of emission data and efficiency Lignite briquettes |                |  |
|---|----------------|--|
| Norm : Inset appliances (with closed firedoor)                | Evaluation     |  |
| D - 1.BlmSchV   | <b>✓</b>       |  |
| 5 - I.Billiodiv   | Grandfathering |  |
| a - Austrian regulation referred to Art 15a B-VG              | _              |  |
| CH - Swiss clean air act                                      |                |  |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown