

Appliances properties: Palazzetti Lelio S. p. A. - ECOMONOBLOCCO 16-9 O2RING

| Master data | | | |
|--|--|-------|--|
| Data of ontry | Mar 9, 2012 | | |
| Date of entry Manufacturer | Mar 8, 2013 | | |
| Model | Palazzetti Lelio S. p. A. | | |
| | ECOMONOBLOCCO 16-9 O2RING | | |
| Nominal heat output [kW] | 19.7 | | |
| Continuous burning appliance | _ | | |
| Type test standard | DIN EN 13229 | | |
| Year of testing | 2012 | | |
| Test laboratory | TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group | | |
| Number of test laboratory | 5 | | |
| Number of test report | K 709 2012 T1 | | |
| Flux variables | | | |
| Flue gas values | | | |
| | | Wood | |
| Flue gas mass flow [g/s] | | 17.1 | |
| Flue gas mass flow [g/s] | | 280.7 | |
| Necessary flue draught [Pa] | | 11 | |
| | | | |
| Further important characteristics of the a | appliance | | |
| | | | |
| Suitability for installation to a shared f | _ | | |
| Connectivity to the central heating system | | | |
| General technical approval for room sealed operation | | | |

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| rm : Inset appliance with flat-layer firing | Evaluation |
|---|------------|
| 1.BlmSchV | Stufe 2 |
| ustrian regulation referred to Art 15a B-VG | ✓ |
| Swiss clean air act | ✓ |
| Crédit d'impôt à la transition énergétique | • |

| Evaluation of emission data and efficiency Lignite briquettes | | | | |
|---|------------|--|--|--|
| Norm : Inset appliance with flat-layer firing | Evaluation | | | |
| D - 1.BlmSchV | | | | |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information

No information/unknown