

Appliances properties: Austroflamm GmbH - Koko

| Master data | |
|------------------------------|--|
| | |
| Date of entry | Jun 20, 2012 |
| Manufacturer | Austroflamm GmbH |
| Model | Koko |
| Nominal heat output [kW] | 6 |
| Continuous burning appliance | — |
| Type test standard | DIN EN 13240 |
| Year of testing | 2006 |
| Test laboratory | RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH |
| Number of test laboratory | 2 |
| Number of test report | RRF-40061041 |

Flue gas values

| | Wood |
|-----------------------------|------|
| Flue gas mass flow [g/s] | 6.5 |
| Flue gas mass flow [g/s] | 327 |
| Necessary flue draught [Pa] | 10 |

Further important characteristics of the appliance

| Suitability for installation to a shared flue ¹⁾ | • |
|---|---|
| Connectivity to the central heating system | - |
| General technical approval for room sealed operation | - |

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| lorm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|---------------------------|
| onn Dia Ela 15240 (internittent burning). Roonnieater with nat-layer hinny | Evaluation |
| - 1.BImSchV | Stufe 1 Grandfathering |
| - Austrian regulation referred to Art 15a B-VG | × |
| H - Swiss clean air act | < |
| - Crédit d'impôt à la transition énergétique | 5\$ |

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

D - 1.BImSchV



Grandfathering

| Stufe 2 | Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany) | |
|---|---|--|
| Stufe 1 | Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany) | |
| 2015 | Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria) | |
| 7☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label | |
| 6☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label | |
| 5☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label | |
| \$ | Compliant with the requirements of the 1 star stage in Italy. | |
| * | Compliant with the requirements of the 2 star stage in Italy. | |
| * 京京 | Compliant with the requirements of the 3 star stage in Italy. | |
| ** | Compliant with the requirements of the 4 star stage in Italy. | |
| **** | Compliant with the requirements of the 5 star stage in Italy. | |
| | Fulfils the requirements | |
| \checkmark | Complies with requirements of the transition ruling (1.BImSchV) | |
| - | Requirements are not fulfilled | |
| _ | No information/unknown | |
| ľ | No measuring values are available for this fuel, operation with this fuel is not permitted | |
| No symbol means that there are no requirements. | | |
| | | |

Here you will find further information