

Appliances properties: Oranier Heiztechnik GmbH - 5602-7 Classic Eck - 5602 70

Date of entryOct 15, 2010ManufacturerOranier Heiztechnik GmbHModel5602-7 Classic EckProduct code5602 70Nominal heat output [kW]7Declared nominal space heating output [kW]7Continuous burning applianceType test standardDIN EN 13240Year of testing2004Test laboratory41	Master data	
Model5602-7 Classic EckProduct code5602 70Nominal heat output [kW]7Declared nominal space heating output [kW]7Continuous burning appliance—Type test standardDIN EN 13240Year of testing2004Test laboratoryRWE Rheinbraun AGG	Date of entry	Oct 15, 2010
Product code5602 70Nominal heat output [kW]7Declared nominal space heating output [kW]7Continuous burning appliance—Type test standardDIN EN 13240Year of testing2004Test laboratoryRWE Rheinbraun AG	Manufacturer	Oranier Heiztechnik GmbH
Nominal heat output [kW]7Declared nominal space heating output [kW]7Continuous burning appliance-Type test standardDIN EN 13240Year of testing2004Test laboratoryRWE Rheinbraun AGG	Model	5602-7 Classic Eck
Declared nominal space heating output [kW]7Continuous burning appliance—Type test standardDIN EN 13240Year of testing2004Test laboratoryRWE Rheinbraun AG	Product code	5602 70
Continuous burning applianceImage: Continuous burning applianceImage: Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13240DIN EN 13240Year of testing2004Test laboratoryRWE Rheinbraun AG	Nominal heat output [kW]	7
Type test standardDIN EN 13240Year of testing2004Test laboratoryRWE Rheinbraun AG	Declared nominal space heating output [kW]	7
Year of testing 2004 Test laboratory RWE Rheinbraun AG	Continuous burning appliance	
Test laboratory RWE Rheinbraun AG	Type test standard	DIN EN 13240
	Year of testing	2004
Number of test laboratory / 1	Test laboratory	RWE Rheinbraun AG
	Number of test laboratory	4.1
Number of test reportFSPS_Wa 1358-EN	Number of test report	FSPS_Wa 1358-EN

Flue gas values

	Wood
Flue gas mass flow [g/s]	7
Flue gas mass flow [g/s]	330
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	
Connectivity to the central heating system	-
General technical approval for room sealed operation	—

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
- 1.BlmSchV	Stufe 2
- Swiss clean air act	× .
- Crédit d'impôt à la transition énergétique	

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 1 Grandfathering
CH - Swiss clean air act	A

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
6☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
\$	Compliant with the requirements of the 1 star stage in Italy.
*	Compliant with the requirements of the 2 star stage in Italy.
* 京京	Compliant with the requirements of the 3 star stage in Italy.
**	Compliant with the requirements of the 4 star stage in Italy.
****	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
_	No information/unknown
ľ	No measuring values are available for this fuel, operation with this fuel is not permitted
No svi	nbol means that there are no requirements.

Here you will find further information